	Application No.	Applicant(s)
Notice of Allowability	10/086,050	CHANG ET AL.
Notice of Anowabinty	Examin r	Art Unit
	Andre' C. Stevenson	2812
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance and Issue Fee Due or other appropriate communication will be mailed in due course.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-16</u> .		
3. The drawings filed on 27 February 2002 are acceptable.		
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d). a) ☐ All b) ☐ Some* c) ☐ None of the CERTIFIED copies of the priority documents have been		
1. received.		
2. received in Application No. (Series Code / Serial Number).		
3. received in this national stage application from the International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
5. Acknowledgement is made of a claim for domestic priority under 35 U.S.C. & 119(e).		
A SHORTENED STATUTORY PERIOD FOR REPLY to comply with the requirements noted below is set to EXPIRE <b>THREE MONTHS</b> FROM THE "DATE MAILED" of this Office Action. Failure to timely comply will result in ABANDONMENT of this application. Extensions of time may be available under the provisions of 37 CFR 1.136(a).		
6. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. A SUBSTITUTE OATH OR DECLARATION IS REQUIRED.		
<ul> <li>7. Applicant MUST submit NEW FORMAL DRAWINGS <ul> <li>(a) because the originally filed drawings were declared by applicant to be informal.</li> <li>(b) including changes required by the Notice of Draftsperson's Patent Drawing Review( PTO-948) attached</li> <li>1) hereto or 2) to Paper No</li> <li>(c) including changes required by the proposed drawing correction filed, which has been approved by the examiner.</li> <li>(d) including changes required by the attached Examiner's Amendment / Comment.</li> </ul> </li> </ul>		
ld ntifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the reverse side of the drawings. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.		
8. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Any reply to this letter should include, in the upper right hand corner, the APPLICATION NUMBER (SERIES CODE / SERIAL NUMBER). If applicant has received a Notice of Allowance and Issue Fee Due, the ISSUE BATCH NUMBER and DATE of the NOTICE OF ALLOWANCE should also be included.		
Attachm nt(s)		
1⊠ Notice of References Cited (PTO-892) 3□ Notice of Draftperson's Patent Drawing Review (PTO-948) 5□ Information Disclosure Statements (PTO-1449), Paper No. 2. 7□ Examiner's Comment Regarding Requirement for Deposit of Biological Material	4□ Interview Summ . 6□ Examiner's Ame	al Patent Application (PTO-152) ary (PTO-413), Paper No Indment/Comment Indexemble of Reasons for Allowance

# **Detailed Action**

The following is an examiner's statement of reasons for allowance: While the prior art shows a accessing die-strips to be cut at a designated size, it does not show determining said die size based on a database stored in a computer system and based on said die size found, cutting said die-strips into individual devices.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Allowable Subject Matter

Claims #1 through 16 are allowed.

### Reason for Allowance

#### Claim #1

Accessing an electronic die-strip database stored in a computer system to determine said die size of said die-strip and based on said die size, cutting said die-strip into individual devices.

#### Claim #10

> Using a computer control system to access said database to obtain said die-size and based on said die size, cutting said die-strip into individual devices.

Art Unit: 2812

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andre C. Stevenson whose telephone number is (703) 308 6227. The examiner can normally be reached on Monday through Friday from 8:00 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Niebling, can be reached on (703) 308 3325. The fax phone number for the organization where this application or proceeding is assigned is (703) 308 7724.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308 1782. Also, the proceeding number can be used to fax information;

• (703) 872-9306

Andre C. Stevenson

Art Unit 2812

11/26/03

/ John F. Niebling / Supervisory Patent Examiner Technology Center 2800